

# Responsive Logo Quickguide™

A strong visual identity builds alignment and customer loyalty. Correct application of the Microscope trademark strengthens the corporate brand. Use this quick guide to apply the brand consistently in day-to-day use.

## RESPONIVE LOGO SYSTEM



Primary Lockup



Stacked Lockup


microscope

Wordmark



Logo

## CLEAR SPACE




### Trademark Clearspace

To ensure the Microscope lockup and logo are consistent, maintain optimal legibility and prominence, an area of clear space has been defined.


This clear space should be maintained around the logo in all applications. The distance should, ideally, be equal to or greater than the X indicator.

For Microscope, the X indicator is the dimension of the height of the letter r in the lockup. This space is indicated by "X" in the diagrams above.


## COLOR PALETTE




MICROSCOPE GREEN  
CMYK 75 0 100 0  
HEX #3BA933  
R59 G169 B51




MICROSCOPE GREEN CMYK  
0 28 100 0  
HEX #FAAE00  
R250 G174 B0




MICROSCOPE BLUE  
CMYK 77 31 15 0  
HEX #2D7EAC  
R45 G126 B172



MICROSCOPE MED GRAY  
CMYK 59 51 50 19  
HEX #555555  
R85 G85 B85



MICROSCOPE LIGHT GRAY  
CMYK 0 0 0 30  
HEX #999999  
R153 G153 B153



JUST BLACK  
CMYK 0 0 0 100  
HEX #000000  
R0 G0 B0

## TYPOGRAPHY

IBM Plex Sans + **IBM PlexSans SemiBold**

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

a b c d e f g h i j k l m n o p q r s t u v w x y z 1 2 3 4 5 6 7 8 9 0 ! @ £ \$ % ^ & \* ® © \$ € £ ¥ ¢ ; ;